Appl. No.

: unknown

Filed :

herewith

## AMENDMENTS TO THE CLAIMS

1. (Currently amended) An antifungal medicinal composition, comprising: (1) a film-forming agent; (2) a water-soluble plasticizer in a form of a solid or a paste at 20°C at 1 atm; and (3) an antifungal compound represented by a general formula (1) and/or a physiologically acceptable salt thereof[[.]]

(In the formulawherein, R represents an alkyl group having 1 to 8 carbon atoms, a cycloalkyl group having 3 to 6 carbon atoms, a methylene group, a lower alkenyl group, a halogen atom, a lower alkyl group substituted with a lower alkoxy group or a lower alkylthio group, or a group represented by a general formula (2) below[[.]]



(In the formulawherein, R<sub>1</sub> represents a hydrogen atom, a halogen atom, a linear- or branched-chain lower alkyl group, a lower alkoxy group, a haloalkoxy group, or a methylenedioxy group, and m represents an integral number of 1 to 3.[[)]

- 2. (Currently amended) The antifungal medicinal composition according to claim 1, wherein the firmfilm-forming agent has low water solubility or water insolubility.
- 3. (Original) The antifungal medicinal composition according to claim 2, wherein the film-forming agent having low water solubility or water insolubility comprises one or two or

## BEST AVAILABLE COPY

3.00

more selected from the group consisting of ethyl cellulose, hydroxypropyl methylcellulose phthalate, and an acrylic resin emulsion.

- 4. (Original) The antifungal medicinal composition according to claim 2, wherein the film-forming agent having low water solubility or water insolubility comprises ethyl cellulose.
- 5. (Currently amended) The antifungal medicinal composition according to any one of claims 1 to 4claim 1, wherein the water-soluble plasticizer in the form of a solid or a paste at 20°C at 1 atm comprises a compound having a polyoxyethylene group and/or a polyoxypropylene group.
- 6. (Original) The antifungal medicinal composition according to claim 5, wherein the water-soluble plasticizer in the form of a solid or a paste at 20°C at 1 atm comprises an oxyethylene oxypropylene copolymer.
- 7. (Original) The antifungal medicinal composition according to claim 5, wherein: the film-forming agent having low water solubility or water insolubility comprises one or two or more selected from the group consisting of ethyl cellulose, hydroxypropyl methylcellulose phthalate, and an acrylic resin emulsion; and the water-soluble plasticizer in the form of a solid or a paste at 20°C at 1 atm comprises a polymer or a copolymer of oxyethylene and/or oxypropylene, and has a polymerization degree of 70 or more.
- 8. (Currently amended) The antifungal medicinal composition according to any one of elaims 1 to 7claim 1, wherein the compound represented by the general formula (1) comprises (E)-[4-(2,4-dichlorophenyl)-1,3-dithiolan-2-ylidene]-1-imidazolyl acetonitrile (Compound 1).

- 9. (Currently amended) The antifungal medicinal composition according to any one of claims 1 to 8claim 1, further comprising a surfactant.
- 10. (Original) The antifungal medicinal composition according to claim 9, wherein the surfactant comprises an anionic surfactant.
- 11. (Original) The antifungal medicinal composition according to claim 10, wherein the anionic surfactant comprises alkyl sulfate which may have a polyoxyethylene group and/or alkyl phosphate which may have a polyoxyethylene group.
- 12. (Currently amended) The antifungal medicinal composition according to any one of elaims 1 to 11 claim 1, further comprising acetone or methyl ethyl ketone as an organic solvent.
- 13. (Currently amended) The antifungal medicinal composition according to any one of claims 1 to 12claim 1, wherein a coating film having plastic property is formed when the antifungal medicinal composition is applied to an application target.
- 14. (Original) The antifungal medicinal composition according to claim 13, wherein the coating film having plastic property shows a glass state having viscosity.
- 15. (Currently amended) The antifungal medicinal composition according to claim 13-or 14, wherein the antifungal medicinal composition is capable of recoating.
- 16. (Currently amended) The antifungal medicinal composition according to any one of claims 13 to 15claim 13, wherein the coating film of the antifungal medicinal composition is removable with swelling means using an aqueous solvent and means for physical scratching.
- 17. (Currently amended) The antifungal medicinal composition according to any one of elaims 13 to 16claim 13, wherein the antifungal medicinal composition is used for an extensively

keratinized portion of skin or nail or a skin-thickened portion around foot as an application target.


18. (Currently amended) A method of producing an antifungal medicinal composition having (1) one or two or more selected from the group consisting of ethyl cellulose, hydroxypropyl methylcellulose phthalate, and an acrylic resin emulsion, (2) a polymer or copolymer of oxyethylene and/or oxypropylene, and (3) an antifungal compound represented by a general formula (1) and/or a physiologically acceptable salt thereof, comprising:

dissolving alkyl sulfate which may have a polyoxyethylene group and/or alkyl phosphate which may have a polyoxyethylene group and the polymer or copolymer of oxyethylene and/or oxypropylene in a solvent containing acetone or methyl ethyl ketone;

adding and dissolving in the solution the one or two or more selected from the group consisting of ethyl cellulose, hydroxypropyl methylcellulose phthalate, and an acrylic resin emulsion; and

adding and dissolving in the solution the antifungal compound represented by the general formula (1) and/or the physiologically acceptable salt thereof[[.]]

(In the formulawherein, R represents an alkyl group having 1 to 8 carbon atoms, a cycloalkyl group having 3 to 6 carbon atoms, a methylene group, a lower alkenyl group, a halogen atom, a lower alkyl group substituted with a lower alkoxy group or a lower alkylthio group, or a group represented by a general formula (2) below[[.)]]



(In the formulawherein, R<sub>1</sub> represents a hydrogen atom, a halogen atom, a linear- or branched-chain lower alkyl group, a lower alkoxy group, a haloalkoxy group, or a methylenedioxy group, and m represents an integral number of 1 to 3.[[)]]